

INDEX TO VOLUME 58

Author and Subject Index

AUTHOR

- ABAD, J.A., *see* Salazar, I.F.
- ALEXANDER, A.L.F. The relationships between the potato virus vectors and the virus disease propagation in potato fields in the coastal zone of New Brunswick, Canada, 495, (abst).
- ARCHULETA, J.G. and G.D. EASTON. The cause of deep-pitted scab of potatoes, 385.
- BANTTARI, E.E., *see* Franc, G.D.
- BANTTARI, ERNEST E. and ARTHUR PETERSEN, JR. Re-use of enzyme conjugates and cassettes in enzyme-linked immunosorbent assay of potato viruses S, X, and Y, 495, (abst).
- BARKER, W.G., *see* Peterson, C.A.
- BATUTIS, E.J. and E.E. EWING. Role of phytochrome in control of tuberization, 496, (abst).
- BERAHA, L., *see* Orr, P.H.
- BISHOP, G.W., *see* Wright, G.C.
- BISHOP, J.C., H. TIMM, and D.N. WRIGHT. Experiments with an extract of Yucca on potatoes in Kern County, California, 496, (abst).
- BOITEAU, G. and R.P. SINGH. Control of potato virus Y by mineral oil sprays, 497, (abst).
- BOODY, G. and SHARON DESBOROUGH. Soluble tuber proteins from selected hybrids and their relation to nutritional quality of potato protein, 497, (abst).
- BOOTH, ROBERT and ROY SHAW. On the use of diffused light for the storage of seed potatoes in developing countries, 498, (abst).
- BREWER, J.W., *see* Kloepper, J.W.
- BREWER, J.W., M.D. HARRISON AND J.A. WINSTON. Survival of two varieties of *Erwinia carotovora* on *Drosophila melanogaster* Meigen and *Drosophila busckii* Coquillett, (Diptera: Drosophilidae) vectors of potato blackleg in Colorado, 439.
- BRISTOL, W.D., D.C. NELSON and L.W. COOK. Residues and dissipation of 2,4-D and 2,4-DCP in potato tubers, 143.
- BRODIE, B.B., *see* Plaisted, R.L.
- BROWN, C.R. and E.N. FERNANDEZ-NORTHCOTE. Selections for resistance to PVX and PVY in tetraploid potato populations, 526, (abst).
- BURTON, W.G. Challenges for stress physiology in potato, 3.
- BUSHWAY, A.A., *see* Bushway, R.J.
- BUSHWAY, R.J., *see* Storch, R.H.
- BUSHWAY, RODNEY J., ALFRED A. BUSHWAY, and ANN M. WILSON. a-chaconine and a-solanine content of MH-30 treated Russet Burbank, Katahdin, and Kennebec tubers stored for nine months at three different temperatures, 498, (abst).
- CAMADRO, E.L. and S.J. PELOQUIN. Cross-incompatibility between two sympatric polyploid *Solanum* species, 499, (abst).
- CANTELO, W.W., *see* Cantwell, G.E., Sanford, L.L.
- CANTWELL, G.E. and W.W. CANTELO. *Bacillus thuringiensis* a potential control agent for the Colorado potato beetle, 457.
- CARGILL, B.F., H.S. POTTER, R.L. LEDEBUHR, M.W. GLOVER, and J.W. SHRIVER. Pre-storage chemical application techniques to minimize potato losses in storage, 499, (abst).
- CARNAHAN, G.F., *see* Pavek, J.J.
- CARTER, G.E., *see* Pavek, J.J.

INDEX TO VOLUME 58

Author and Subject Index

AUTHOR

- ABAD, J.A., *see* Salazar, I.F.
- ALEXANDER, A.L.F. The relationships between the potato virus vectors and the virus disease propagation in potato fields in the coastal zone of New Brunswick, Canada, 495, (abst).
- ARCHULETA, J.G. and G.D. EASTON. The cause of deep-pitted scab of potatoes, 385.
- BANTTARI, E.E., *see* Franc, G.D.
- BANTTARI, ERNEST E. and ARTHUR PETERSEN, JR. Re-use of enzyme conjugates and cassettes in enzyme-linked immunosorbent assay of potato viruses S, X, and Y, 495, (abst).
- BARKER, W.G., *see* Peterson, C.A.
- BATUTIS, E.J. and E.E. EWING. Role of phytochrome in control of tuberization, 496, (abst).
- BERAHA, L., *see* Orr, P.H.
- BISHOP, G.W., *see* Wright, G.C.
- BISHOP, J.C., H. TIMM, and D.N. WRIGHT. Experiments with an extract of Yucca on potatoes in Kern County, California, 496, (abst).
- BOITEAU, G. and R.P. SINGH. Control of potato virus Y by mineral oil sprays, 497, (abst).
- BOODY, G. and SHARON DESBOROUGH. Soluble tuber proteins from selected hybrids and their relation to nutritional quality of potato protein, 497, (abst).
- BOOTH, ROBERT and ROY SHAW. On the use of diffused light for the storage of seed potatoes in developing countries, 498, (abst).
- BREWER, J.W., *see* Kloepper, J.W.
- BREWER, J.W., M.D. HARRISON AND J.A. WINSTON. Survival of two varieties of *Erwinia carotovora* on *Drosophila melanogaster* Meigen and *Drosophila busckii* Coquillett, (Diptera: Drosophilidae) vectors of potato blackleg in Colorado, 439.
- BRISTOL, W.D., D.C. NELSON and L.W. COOK. Residues and dissipation of 2,4-D and 2,4-DCP in potato tubers, 143.
- BRODIE, B.B., *see* Plaisted, R.L.
- BROWN, C.R. and E.N. FERNANDEZ-NORTHCOTE. Selections for resistance to PVX and PVY in tetraploid potato populations, 526, (abst).
- BURTON, W.G. Challenges for stress physiology in potato, 3.
- BUSHWAY, A.A., *see* Bushway, R.J.
- BUSHWAY, R.J., *see* Storch, R.H.
- BUSHWAY, RODNEY J., ALFRED A. BUSHWAY, and ANN M. WILSON. a-chaconine and a-solanine content of MH-30 treated Russet Burbank, Katahdin, and Kennebec tubers stored for nine months at three different temperatures, 498, (abst).
- CAMADRO, E.L. and S.J. PELOQUIN. Cross-incompatibility between two sympatric polyploid *Solanum* species, 499, (abst).
- CANTELO, W.W., *see* Cantwell, G.E., Sanford, L.L.
- CANTWELL, G.E. and W.W. CANTELO. *Bacillus thuringiensis* a potential control agent for the Colorado potato beetle, 457.
- CARGILL, B.F., H.S. POTTER, R.L. LEDEBUHR, M.W. GLOVER, and J.W. SHRIVER. Pre-storage chemical application techniques to minimize potato losses in storage, 499, (abst).
- CARNAHAN, G.F., *see* Pavek, J.J.
- CARTER, G.E., *see* Pavek, J.J.

- CETAS, R.C., *see* Plaisted, R.L.
- CHEN, H.H., *see* Li, P.H.
- CLARKE, R.G. Potato leafroll virus purification and antiserum preparation for enzyme-linked immunosorbent assays, 291.
- COOK, L.W., *see* Bristol, W.D.
- CORSINI, D.L., *see* Pavek, J.J.
- DAVIS, J.R. and M.D. GROSKOPP. Yield and quality of Russet Burbank potato as influenced by interactions of *Rhizoctonia*, maleic hydrazide, and PCNB, 227.
- DEAN, BILL B. and ROBERT E. THORNTON. A thermal model for predicting dry matter production in potatoes, 500, (abst).
- DEARBORN, C.H. Highlat Russet potato for Alaskans, 177.
- DE JONG, H. Genetic analysis of russetting in cultivated diploid potatoes, 500, (abst).
- DE JONG, H., G.C.C. TAI, W.A. RUSSELL, G.R. JOHNSTON and K.G. PROUDFOOT. Yield potential and genotype-environment interactions of tetraploid-diploid (4x-2x) potato hybrids, 191.
- DENT, T.J., C.P. HAMPSON, M.W. GINGER, and L.M. TAYLOR. The control of condensation in potato stores, 500, (abst).
- DESBOROUGH, S., *see* Boody, G., Gatty, S.
- EASTON, G.D., *see* Archuleta, J.G.
- EASTON, GENE D. and MICHAEL E. NAGLE. Selecting superior clones of Russet Burbank potato from verticillium wilt-resistant giant hill plants, 501, (abst).
- EGUSQUIZA, R., *see* Raman, K.V.
- EIDE, C.J., *see* Kroll, R.E.
- EVERETT, C.F., *see* Misener, G.C.
- EWING, E.E., *see* Batutis, E.J., Kahn, B.A., Santeliz, G.
- EWING, E.E. Introduction to proceedings of a symposium on stress physiology in the potato, 1.
- EWING, E.E. Heat stress and the tuberization stimulus, 31.
- EWING, E.E., A.H. SENESAC and J.B. SIECZKA. Effects of short periods of chilling and warming on potato sugar content and chipping quality, 633.
- FERNANDEZ-NORTHCOTE, E.N., *see* Brown, C.R.
- FRANC, GARY D. and ERNEST E. BANTTARI. Comparison of latex agglutination, radial diffusion, enzyme-linked immunosorbent assay, and indicator plants for detection of potato virus S and potato virus X, 501, (abst).
- FRANK, J.A., *see* Webb, R.E.
- GARNER, J.G., *see* Pavek, J.J.
- GATTY, SCOTT and SHARON DESBOROUGH. The inheritance of several tuber proteins in hybrids of *S. sparsipilum* x Group *Sterotomum*, 501, (abst).
- GINGER, M.W., *see* Dent, T.J.
- GLOVER, M.W., *see* Cargill, B.F.
- GOTH, R.W. An efficient technique for prolonged storage of *Phytophthora infestans*, 257.
- GOTH, R.W., P. SEMENUK, and R.E. WEBB. Effect of ultraviolet (UV-B) irradiation on *Chenopodium quinoa* 'Valdivia' leaves inoculated with potato virus S, 502, (abst).
- GOULSTON, C.L., *see* Orr, P.H.
- GRAHAM, C.K., *see* Orr, P.H.
- GRAVES, B., *see* Webb, R.E.
- GROSKOPP, M.D., *see* Davis, J.R.
- HAHM, Y., S.A. SLACK AND R.J. SLATTERY. Reinfection of potato seed stocks with potato virus S and potato virus X in Wisconsin, 117.
- HAMPSON, C.P., *see* Dent, T.J.
- HANNEMAN, JR., R.E., *see* Johnston, S.A., Landeo, J.A., Sanford, J.C.
- HARPER, F., *see* Pratt, A.J.
- HARRISON, M.D., *see* Brewer, J.W., Kloepper, J.W., Lahman, L.K.

- HAYNES, F.L., *see* Haynes, K.G.
- HAYNES, F.L. Progress in adaptation and use in breeding of highland tropic diploid potatoes, 502, (abst).
- HAYNES, KATHLEEN G. and F.L. HAYNES. The stability of high specific gravity genotypes of potatoes under high temperatures, 503, (abst).
- HENNINGER, M.R., *see* Webb, R.E.
- HOLM, DAVID G. Selecting potato clones for nutrient-use efficiency, 503, (abst).
- HOOKER, W.J., *see* Salazar, L.F.
- HOUSTON, L. *see* Storch, R.H.
- HUNER, N.P.A., *see* Li, P.H.
- HUNG, YUNG-TSE. Use of ozonation in the tertiary treatment of potato processing waste-waters, 504, (abst).
- HUNTER, JAMES H. and RICHARD RCWE. Monitoring and control of potato storages by use of a microprocessor system, 504, (abst).
- HUXSOLL, C.C., *see* Weaver, M.L.
- HUXSOLL, C.C., M.L. WEAVER and K.C. NG. Double-dip caustic peeling of potatoes I: laboratory-scale development, 327.
- HYDE, G.M. and R.E. THORNTON. Effect of automatic chain-load control on potato harvester performance, 505, (abst).
- HYDE, G.M., R.E. THORNTON, and D.W. WOODRUFF. Economics of soil elimination on the potato harvester, 505, (abst).
- IRITANI, W.M. Growth and preharvest stress and processing quality of potatoes, 71.
- IWANAGA, M., *see* Peloquin, S.J., Raman, K.V.
- JOHANSEN, R.H., *see* Pavék, J.J.
- JOHNSON, M.J., *see* Pavék, J.J.
- JOHNSTON, G.R., *see* DeJong, H.
- JOHNSTON, G.R. and R.G. ROWBERRY. Yukon gold: a new yellow-fleshed, medium-early, high quality table and French-fry cultivar, 241.
- JOHNSTON, S.A. and R.E. HANNEMAN, JR. The discovery of additional one endosperm balance number (EBN) in diploid *Solanum* species, 505, (abst).
- JOHNSTON, S.A., R.E. HANNEMAN, JR., and R.W. RUHDE. Identification of an asynaptic variant in *Solanum commersonii*, 506, (abst).
- JONES, E.D., *see* Plaisted, R.L.
- JONES, EDWARD D. Production of potato nuclear seed stocks by tissue culture, 506, (abst).
- KAHN, BRIAN A. and E.E. EWING. Effects of leaf area, age, and other factors on tuberization of stem cuttings, 507, (abst).
- KAMINSKI, A.M., *see* Slack, S.A.
- KIRBY, R.D., *see* Wellik, M.J.
- KLEIN, LISA B. and NELL I. MONDY. Changes in nitrogenous constituents and minerals of potato tubers and sprouts following germination in the light and dark, 507, (abst).
- KLOEPPER, J.W., J.W. BREWER and M.D. HARRISON. Insect transmission of *Erwinia carotovora* var. *carotovora* and *Erwinia carotovora* var. *atroseptica* to potato plants in the field, 165.
- KLOEPPER, J.W., M.D. HARRISON and J.W. BREWER. Effect of temperature on differential persistence and insect transmission of *Erwinia carotovora* var. *atroseptica* and *Erwinia carotovora* var. *carotovora*, 585.
- KROLL, R. E. and C.J. EIDE. Effect of inoculum concentration of *Phytophthora infestans* on potato late blight, 153.
- LADD, T.L., *see* Sanford, L.L.
- LAHMAN, L.K., M.D. HARRISON and M. WORKMAN. Pre-harvest burning for control of tuber infection by *Alternaria solani*, 593.
- LANDEO, JUAN A., R.E. HANNEMAN, JR. and H.A. MENDOZA. Maximizing hetero-

- zygosity and tuber yield through the 2n-gamete breeding approach. I. Fertility and frequency of 2n gametes in hybrid families from groups Andigena Haploid, Tuberosum Haploid, Phureja and Stenotomum crosses, 507, (abst).
- LAUBENGAYER, J.E., *see* Tingey, W.M.
- LAUER, F.I., *see* McHale, N.A., Veilleux, R.E.
- LAUER, FLORIAN I. A tissue culture technique for core stock maintenance by foundation potato growers, 508, (abst).
- LAUER, F.L. Use of potato seedling field transplants in the Minnesota breeding program, 508, (abst).
- LEDEBUHR, R.L., *see* Cargill, B.F.
- LEUE, E.E. and S.J. PELOQUIN. The value of haploids in the utilization of wild species germplasm for potato improvement, 509, (abst).
- LI, P.H., N.P.A. HUNER, M. TOIVIO-KINNUCAN, H.H. CHEN and J.P. PALTA. Potato freezing injury and survival, and their relationships to other stress, 15.
- LOELIGER, J. Analytical methods for quality control of dried potato flakes, 509, (abst).
- MACK, T.P. and Z. SMILOWITZ. The vertical distribution of green peach aphids and its effect on a model quantifying the relationship between green peach aphids and a predator, 345.
- MARTIN, MARK W. Mass screening for early dying and scab resistance by direct seeding into disease infested fields, 510, (abst).
- MARTIN, MARK W. Simultaneous mass-intercrossing within and between groups of parents solves some problems encountered in breeding potatoes, 510, (abst).
- MAZZA, G. Sucrose content of potatoes as affected by cultivar, production and storage practices, 511, (abst).
- MCDONALD, J.G., *see* Singh, R.P.
- McHALE, N.A., *see* Veilleux, R.E.
- McHALE, N.A. and F.I. LAUER. Inheritance of tuber traits from Phureja in diploid Phureja-Tuberosum hybrids, 93.
- McHALE, N.A. and F.I. LAUER. Breeding value of 2n pollen from diploid hybrids and Phureja in 4x-2x crosses in potatoes, 365.
- MEHLENBACHER, S.A., *see* Tingey, W.M.
- MENDOZA, H.A., *see* Landeo, J.A.
- MICHENER, S., *see* Pavek, J.J.
- MILLER, S.M., *see* Tarn, R.T.
- MISENER, G.C. and C.F. EVERETT. Vine pulling as a means of top killing potatoes, 103.
- MONDY, N.I., *see* Klein, L.B.
- MORROW, L.S., *see* Murphy, H.J.
- MORROW, LEIGH S. and H.J. MURPHY. Use of a soil inoculant (Symbox) and a seed treatment (Symcoat) to improve yield and quality of the Katahdin potato, 511, (abst).
- MOSLEY, A.R., *see* Pavek, J.J.
- MUNETTA, P. Comparisons of inhibitors of tyrosine oxidation in the enzymatic blackening of potatoes, 85.
- MUNOZ, F.J. and R.L. PLAISTED. Yield and combining abilities in Andigena potatoes after six cycles of recurrent phenotypic selection for adaptation to long day conditions, 469.
- MURPHY, H.J., *see* Morrow, L.S., Porter, G.A.
- MURPHY, H.J. and L.S. MORROW. Effect of broadcast versus banded fertilizers on yield and quality of the Monona potato variety, 512, (abst).
- NAGLE, M.E., *see* Easton, G.D.
- NELSON, D.C., *see* Bristol, W.D.
- NELSON, D.C. and M.C. THORESON. Effect of seed tuber and seed piece size on hollow heart and yield of Norgold Russet potatoes, 512, (abst).
- NEUBER, H., *see* Peterson, C.L.
- NG, K.C., *see* Huxsoll, C.C., Weaver, M.L.

- OCHOA, C. *Solanum antacochense*, a new wild Peruvian species, 127.
- OCHOA, C. *Solanum irosinum*, new Peruvian tuber bearing species resistant to *Phytophthora infestans*, 131.
- OCHOA, C. *Solanum correllii*, a new tuber bearing species from Ecuador, 223.
- OCHOA, C. *Solanum sawyeri*, a new wild potato species from the Peruvian tropics, 649.
- OKWUAGWU, CHRISTY O. and S.J. PELOQUIN. A method of transferring the intact parental genotype to the offspring via meiotic mutants, 512, (abst).
- OPPENHEIMER, J. Seedpotato certification in Israel, 489.
- ORR, PAUL H. and CHARLES K. GRAHAM. Determining least-cost sources of chipping potatoes through the use of mathematical models, 513, (abst).
- ORR, P.H. and E.C. YAEGER. Slipsheets for handling and shipping prepackaged potatoes to market, 393.
- ORR, P.H., E.C. YAEGER, L. BERAHA and C.L. GOULSTON. Unitizing and palletizing prepackaged round-red potatoes for shipment to market, 277.
- PALACIOS, M., see Raman, K.V.
- PALTA, J.P., see Li, P.H.
- PARFITT, D.E. and S.J. PELOQUIN. The genetic basis for tuber greening in 24-chromosome potatoes, 299.
- PAVEK, J.J. and D.L. CORSINI. Early generation selection of potatoes in Idaho, 525, (abst).
- PAVEK, J.J. and D.L. CORSINI. Inheritance of russet skin in diploid potatoes, 515, (abst).
- PAVEK, J.J., D.L. CORSINI, J.G. GARNER, S. MICHENER, W.C. SPARKS, G.F. CARNAHAN, C.E. STANGER, A.R. MOSLEY, M.J. JOHNSON, G.E. CARTER, R.E. VOSS, M.W. MARTIN and R.H. JOHANSEN. Lemhi Russet: a new high yielding potato variety with wide adaptation, attractive tubers, and high internal quality, 619.
- PELL, E.J., see Speroni, J.J.
- PELOQUIN, S.J., see Camadro, E.L., Leue, E.E., Parfitt, D.E.
- PELOQUIN, S.J. and MASARU IWANAGA. Restorer genes for genetic-cytoplasmic male sterility in cultivated potatoes, 513, (abst).
- PETERSEN, JR., A., see Banttari, E.E.
- PETERSON, C.A., R.L. PETERSON and W.G. BARKER. Observations on the structure and osmotic potentials of parenchyma associated with the internal phloem of potato tubers, 575.
- PETERSON, C.L., R. WYSE and H. NEUBER. Evaluation of respiration as a tool in predicting internal quality and storability of potatoes, 245.
- PETERSON, R.L., see Petersen, C.A.
- PFANNENSTIEL, M.A., see Slack, S.A.
- PLAISTED, R.L., see Munoz, F.J.
- PLAISTED, R.L., H.D. THURSTON, J.B. SIECZKA, B.B. BRODIE, E.D. JONES and R.C. CETAS. Rosa: a new golden nematode resistant variety for chipping and table-stock, 451.
- PORTER, G.A. and H.J. MURPHY. The effect of four microbial seedpiece treatments on yield and quality of white potatoes in Maine, 514, (abst).
- POTTER, H.S., see Cargill, B.F.
- POTTER, H. SPENCER. Fungigation for the control of potato diseases, 514, (abst).
- POWELL, D.M., see Toba, H.H.
- PRATT, ARTHUR J. and FRED HARPER. Controlling the efficiency of irrigation water use in potato production in desert areas by different methods of irrigation, 515, (abst).
- PROUDFOOT, K.G., see DeJong, H.
- PROUDFOOT, KENNETH G. Selection techniques used in the breeding of wart resistant cultivars adapted for Newfoundland conditions, 526, (abst).
- RAMAN, K.V. Studies on monitoring and mass trapping potato tuber moth, *Phthorimaea operculella* (Zeller) using sex pheromones, 516, (abst).

- RAMAN, K.V., M. IWANAGA, M. PALACIOS, and R. EGUSQUIZA. Breeding for resistance to potato tuberworm *Phthorimaea operculella* (Zeller), 516, (abst).
- RAMAN, K.V., M. IWANAGA, M. PALACIOS and R. EGUSQUIZA. Studies on identifying sources of resistance to potato tuberworm, *Phthorimaea operculella* (Zeller), 517, (abst).
- ROWBERRY, R.G., see Johnston, G.R.
- ROWE, R., see Hunter, J.H.
- RUHDE, R.W., see Johnston, S.A.
- RUSSELL, W.A., see DeJong, H.
- SALAZAR, L.F., J.A. ABAD and W.J. HOOKER. An Ilarvirus affecting potatoes in Peru, 517, (abst).
- SANFORD, J.C. and R.E. HANNEMAN, JR. The use of bees for the purpose of inter-mating in potato, 481.
- SANFORD, L.L., see Sinden, S.L.
- SANFORD, LIND L., STEVE L. SINDEN, WILLIAM W. CANTELO and THYRIL L. LADD. Selecting for pest resistance in early generations, 525, (abst).
- SANTELIZ, G. and E.E. EWING. Effects of nitrogen fertilization on growth and development of potatoes, 517, (abst).
- SEMENUIK, P., see Goth, R.W.
- SENEAC, A.H., see Ewing, E.E.
- SHAW, R. see Booth, R.
- SHAW, ROY. On village level processing, 518, (abst).
- SHRIVER, J.W., see Cargill, B.F.
- SHUMAKER, J.R., see Webb, R.E., Weingartner, D.P.
- SIECZKA, J.B., see Ewing, E.E., Plaisted, R.L.
- SIECZKA, J.B. Non-insecticidal studies on Colorado potato beetle control, 518, (abst).
- SINDEN, S.L., see Sanford, L.L.
- SINDEN, S.L. and L.L. SANFORD. Origin and inheritance of solarmarine glycoalkaloids in commercial potato cultivars, 305.
- SINGH, R.P., see Boiteau, G.
- SINGH, R.P. and J.G. McDONALD. Purification of potato virus A and its detection in potato by enzyme-linked immunosorbent assay (ELISA), 181.
- SINGH, R.P. and E.M. SMITH. *Physalis angulata* as a local lesion host for post harvest indexing of potato virus A, 518, (abst).
- SINGH, R.P. and E.M. SMITH. Evaluation of procedures for the extraction of potato spindle tuber viroid and its detection by polyacrylamide gel electrophoresis, 519, (abst).
- SLACK, S.A., see Hahn, Y.
- SLACK, S.A., M.A. PFANNENSTIEL, and A. KAMINSKI. Effect of spindle tuber strains on vine height and tuber weight of five potato cultivars, 520, (abst).
- SLATTERY, R.J., see Hahn, Y.
- SLATTERY, R.J. Inoculum potential of verticillium-infested potato cultivars, 135.
- SLOSSER, J.E., see Wellik, M.J.
- SMART, JR., G.C., see Weingartner, D.P.
- SMILOWITZ, Z., see Mack, T.P.
- SMITH, E.M., see Singh, R.P.
- SPARKS, W.C., see Pavek, J.J.
- SPERONI, J.J., E.J. PELL and W.C. WEISSBERGER. Glycoalkaloid levels in potato tubers and leaves after intermittent plant exposure to ozone, 407.
- STORCH, R.H., LINDA HOUSTON and RODNEY J. BUSHWAY. Mass extraction and purification of the glycoalkaloids Commersonine and Demissine from *Solanum demissum*, 520, (abst).
- STRUCKMEYER, B.E., G.G. WEIS and J.A. SCHOENEMANN. Effect of two forms of

- maleic hydrazide on the cell structure at the midsection, stem and bud ends of the cortical and perimedullary regions of Russet Burbank tubers, 611.
- TAI, G.C.C., *see* DeJong, H.
- TARN, T. RICHARD. Changes in *Solanum tuberosum* Group *Andigena* during five cycles of recurrent mass selection, 521, (abst).
- TARN, T. RICHARD and SUSAN M. MILLER. Flower abnormalities and male sterilities in *Solanum tuberosum* groups Tuberosum and Andigena, and in inter-group hybrids, 521, (abst).
- TAYLOR, L.M., *see* Dent, T.J.
- THORESON, M.C., *see* Nelson, D.C.
- THORNTON, R.E., *see* Dean, B.B., Hyde, G.M.
- THORNTON, ROBERT. Some effects of Mt. St. Helens on Potatoes, 521, (abst).
- THURSTON, H.D., *see* Plaisted, R.L.
- TIMM, H., *see* Bishop, J.C.
- TINGEY, W.M., S.A. MEHLENBACHER and J.E. LAUBENGAYER. Occurrence of glandular trichomes in wild *Solanum* species, 81.
- TOBA, H.H., J.E. TURNER and D.M. POWELL. Relationship between injury and damage to potatoes by wireworms, 423.
- TOIVIO-KINNUCAN, M., *see* Li, P.H.
- TOWILL, LEIGH E. Cryopreservation of shoot-tips from the tuber-bearing *Solanum* species, 522, (abst).
- TRUE, R.H., *see* Work, T.M.
- TRUE, R.H. and T.M. WORK. Sensory quality of Ontario potatoes compared with the principal varieties grown in Maine, 375.
- TURNER, J.E., *see* Toba, H.H.
- TWOMEY, J., *see* Workman, W.
- VAN LOON, C.D., The effect of water stress on potato growth, development, and yield, 51.
- VARNIS, JERRY L. Monitoring suberization by methyl chloride release from potato tubers, 522, (abst).
- VEILLEUX, RICHARD E., NEIL A. McHALE, and FLORIAN I. LAUER. Unreduced gametes in diploid *Solanum*: Frequency and types of spindle abnormalities, 523, (abst).
- VOSS, R.E., *see* Pavék, J.J.
- WEAVER, M.L., *see* Huxsoll, C.C.
- WEAVER, M.L., C.C. HUXSOLL and K.C. NG. Double-dip caustic peeling of potatoes II: studies on commercialization, 355.
- WEBB, R.E., *see* Goth, R.W.
- WEBB, R.E., D.R. WILSON, J.A. FRANK, J.R. SHUMAKER, B. GRAVES and M.R. HENNINGER. BelRus: a new russet skin potato variety, combining high quality, pest resistance, and adaption to the Northeast United States and Florida, 111.
- WEIS, G.G., *see* Struckmeyer, B.E.
- WEISSBERGER, W.C., *see* Speroni, J.J.
- WEINGARTNER, D.P. and J.R. SHUMAKER and G.C. SMART, JR. Use of foliage and soil applications of Oxamyl 2L to control corky ringspot disease of potatoes, 523, (abst).
- WELLIK, M.J., J.E. SLOSSER and R.D. KIRBY. Effects of simulated insect defoliation on potatoes, 627.
- WILSON, A.M., *see* Bushway, R.J.
- WILSON, D.R., *see* Webb, R.E.
- WINSTON, J.A., *see* Brewer, J.W.
- WOODRUFF, D.W., *see* Hyde, G.M.
- WORK, T.M., *see* True, R.H.
- WORK, T.M. and R.H. TRUE. The effect of Dual® on the flavor of riced baked potatoes, 383.

- WORKMAN, M., *see* Lahman, L.K.
WORKMAN, MILTON and JAMES TWOMEY. The response of Centennial and Russet Burbank cultivars to simulated hail injury, 524, (abst).
WRIGHT, D.N., *see* Bishop, J.C.
WRIGHT, G.C. and G.W. BISHOP. Volunteer potatoes as a source of potato leafroll virus and potato virus X, 603.
WRIGHT, N.S. "BUD". A strategy for PVX and PVS control on seed farms, 525, (abst).
WYSE, R., *see* Peterson, C.L.
YAEGER, E.C., *see* Orr, P.H.
ZITNAK, A. Photoinduction of glycoalkaloids in cured potatoes, 415.

SUBJECT INDEX

- Andigena — Tuberosum hybrids, 521
Aphid sampling, 347
Automatic chain-load control, 505
Baking potato, 177, 375
Blackening inhibitors, 85
 AA, 90
 Cysteine, 85
 DHFA, 91
 Dithiothreitol, 85
 DTT, 89
 Na Dieca, 85, 87, 91
 Sodium bisulfite, 85
Blackleg, 165, 446, 492, 585, 622
Black spot, 622
Breeding, 111
Buisse index, 254
Bumblebees, 481
Caustic peeling, 327, 355, 357
Cell size, 611, 613-14
 α -Chaconine, 498
Chaconine, 306, 310
Chilling, 633
Chipcolor, 633, 645
Chipping ability, 451, 454
Chitting, 498
Cold acclimation, 15, 17
Combining ability, 93, 365, 469
Commersonine, 520
Control of condensation, 500
Corky ringspot, 523
Cortex, 611
Cost of soil elimination, 505
Cross incompatibility reaction, 499
Cryopreservation, 522
Culture media, 258
Damage thresholds, 627, 630
Deep-pitted scab, 385-6
Defoliation, 627

- Demissidine, 307, 311, 323
- Demissine, 323, 520
- Disease control, 510, 593
 - Burning, 104, 596
- Distance spread, 173, 446
- Dopachrome, 86
- Double dip, 327, 331, 355
- Early blight, 593
- EBN, 505
- EIA test, 495, 501
- Electron microscope, 185, 296
- ELISA test, 182, 187, 188, 291, 495, 501, 506
- Enzymatic blackening, 85
- Enzyme-linked immunosorbent assay, 291, 495, 519
- Epidemiology, 585, 593
- Evapotranspiration, 60
- β -exotoxin, 458, 463
- Fertilizer rates, 229-30
- Field resistance, 117
- Field transplants, 508
- Flower abnormalities, 521
- Freezing injury, 15, 17
- French fries, 619
- Frost resistance, 15, 17
- Fructose, 633, 641-2
- Fungigation, 514
- Gel diffusion, 605
- Germplasm, 93
- Giant hill, 501
- Glandular trichomes, 81
- Glucose, 633, 641-2
- Glycoalkaloid content, 111, 243, 314, 412-13, 417-9, 454, 498
- Glycoalkaloids, 305, 415, 420
- Grading, 423
- Green sprouting, 498
- Groundkeeper, 603
- Group Andigena, 521
- Group Phureja, 94, 191, 198, 300, 365, 497, 502-3, 507
- Group Stenotomum, 191, 198, 501-3, 507, 522
- Hail injury, 524
- Handling, 277, 393
- Haploids, 93, 507, 599
- Heat resistance, 15, 16
- Heterosis, 93, 95, 191, 365, 512
- Hollow heart, 512, 624
- Honey bees, 481
- Hybrids, 191, 451, 502
 - 4x-2x, 191, 365, 502
- Inhibitors, 85
- Injury vs. damage, 423, 426
- Insecticides
 - Aldicarb, 345, 349

Dinoseb, 518
Disulfoton, 229
Fenvalerate, 518
Oxamyl 2L, 523
Temik, 409
Vapona, 292

Insect pest management, 627

Insect resistance, 81

Insect transmission: time of day, 167

Irrigation, 515

Jelly end tubers, 75

Late blight, 305, 308, 376

Latex agglutination test, 117, 501, 506

Leaf water potential, 51

Least-cost models, 513

Location of residues, 150

Lye uptake, 329, 335

Mass screening, 510

Maturity, 71, 76, 368

Methyl chloride release, 522

Microprocessor system, 504

Mild mosaic, 243

Mineral content of tubers, 507

Neotuberosum, 469

Nutrient-use efficiency, 503

Nutritional quality, 497

Oil sprays, 497

Optimum temperature, 10, 31, 41

Optimum yields, 3, 51

Organisms

Bacteria

Bacillus spp., 385

thuringiensis, 457

kurstaki (type 3), 458

aizawi (type 7), 458

subtilis, 514

Erwinia, temperature relations, 588-90

Erwinia spp., 491

carotovora var. *carotovora*, 165, 180, 439-40, 442-7, 585

carotovora var. *atroseptica*, 165, 439-40, 442-6, 585

tracheiphila, 446

Corynebacterium sepedonicum, 180

Micrococcus spp., 385

Pseudomonas spp., 385, 514

solanacearum, 490-2

Fungi

Alternaria spp., 385, 389

solani, 389, 593

Colletotrichum, 228

Fusarium, 228, 385, 389, 491

coeruleum, 624

solani var. *eumartii*, 376

- Penicillium* spp., 385, 389
Phytophthora
 infestans, 131, 133, 153-4, 156-60, 257, 309, 316, 320-1, 492
 phaseoli, 259
Pythium spp., 491
Rhizoctonia, 526
 solani, 180, 227-9, 231, 236, 390, 492
Rhizopus spp., 385, 389
Sclerotium
 bataticola, 492
 rolfsii, 491-2
Streptomyces spp., 385-91, 526
 atroolivaceus, 385, 389-90
 cinerochromogenes, 385, 389, 391
 corchorusii, 385, 389-90
 diastatochromogenes, 395, 389-91
 griseus, 385, 389-91
 lydicus, 385, 389-90
 malachiticus, 385, 389-90
 resistomycificus, 389, 390-91
 scabies, 180, 241, 243, 385
Synchytrium endobioticum, 526
Trichoderma spp., 385, 389
Verticillium spp., 491, 526
 albo-atrum, 135, 138-40
 dahliae, 135, 139-40
Insects, 585
 Acalymma vittata, 446
 Acyrtosiphon dirhodum, 606
 Acyrtosiphon pisum, 606
 Aphis craccivora, 606
 Apis mellifera, 481
 Bombus fervidus, 481-4
 Bombus impatiens, 481-2, 484
 Coleomegilla maculata, 345-6, 348, 351-2
 Ctenicera priunina, 423-5
 Diabrotica undecimpunctata howardi, 446
 Drosophila
 busckii, 439, 441-3, 445, 447
 melanogaster, 165, 439-45, 447, 585
 Leptinotarsa decemlineata, 457-63, 518, 520, 525
 Limonius californicus, 423-5
 Limonius canus, 423-5
 Phthorimoea operculella, 492, 516-7
 Pieris brassicae, 463
 Macrosiphum avenae, 606
 Myzus persicae, 292, 345-6, 350, 352, 517, 603
 Rhopalosiphum maidis, 606
 Rhopalosiphum padi, 606
 Schizaphis graminum, 606
Nematodes
 Golden nematode, 451

- Meloidogyne hapla*, 111, 113
- Trichodorid nematodes, 524
- Plant Species
 - Berberis*, 129
 - Chenopodium quinoa*, 502, 517
 - Chrysothamnus nauseosus*, 518
 - Gomphrena globosa*, 118, 501
 - Hypericum*, 133
 - Lycopersicon*, 83
 - esculentum*, 257, 520
 - Monnina*, 129
 - Nicandra physaloides*, 181, 183-4, 186, 188, 517
 - Nicotiana*, 83
 - debneyi*, 501
 - Petunia*, 83
 - Physalis*
 - angulata*, 181, 184-5, 188, 518
 - floridana*, 83, 291, 2, 294, 296, 605
 - Plantago*, 129
 - Stipa ichu*, 129, 133
 - Senecio*, 129
 - Solanum dulcamera*, 313
 - Yucca schidigera*, 496
- Virus
 - A, 111, 181-2, 185-7, 518
 - Leafroll, 111, 243, 291, 292, 491-2, 603
 - M, 111, 519
 - S, 111, 117, 119-20, 122-4, 495, 502, 525
 - SB-10, 517
 - Spindle tuber vivoid, 519-20
 - X, 111, 117, 119-20, 122-4, 498, 501, 519, 525-6, 603, 607
 - Y, 111, 181, 187, 244, 495, 497, 519, 526, 622
- Osmotic potential, 575, 583
- Ouchterlony test, 187
- Ozone, 407, 410, 504
- PAA
 - Abstracts of papers presented at 65th annual meeting, 495
- Errata
 - Male parent for BelRus (58:111), 202
 - Photoperiod response, 50
- Honorary Life Members,
 - J. Ewen Campbell, 661
 - Charles E. Cunningham, 663
 - Jay G. Garner, 665
 - N.S. "Bud" Wright, 667
- List of individual members, 429
- Membership summary, 540
- Minutes
 - Annual Business Meeting, 541
 - Annual Meeting Section Reports
 - Breeding and Genetics, 652
 - Certification, 652

- Extension, 653
- Pathology, 654
- Physiology, 655
- Utilization, 655
- Executive Committee 8/2/81, 529
- Executive Committee 8/4/81, 536
- Executive Committee 8/6/81, 539
- Pathology Section, 7/21/80, 215
- Obituary—Pathology Section, 2/11/81, 657
- Robert Treadway, 342
- Papers published in Volume 23 of Potato Research, 211
- Program for 65th annual meeting, 261
- Registration form for 65th annual meeting, 217
- Report of:
 - Advertising Manager, 554
 - Business Editor, 553
 - Editor-in-Chief, 548
- Role of Section Chairmen on PAA Executive Committee, 538
- Sections and committees for:
 - 1980-81, 203
 - 1981-82, 556
- The PAA Executive for 1981-82, 555
- Treasurer's report, 550
- Packaging, 277, 393
- Palletization, 277, 284, 288, 393
- Peeling loss, 330, 332-3, 336, 361-2
- Perimedullary, 611
- Pheromones, 516
- Phloem, 575
- Phloemparenchyma, 575
- Photoperiod, 31, 33
- Photosynthate partitioning, 31
- Photosynthesis, 51, 57
- Photosynthetic efficiency, 3
- Phureja-tuberosum hybrids, 93, 300, 365, 482, 512-3
- Phytochrome, 496
- Pinkeye, 111
- Potato, 3, 15, 31, 51, 143, 393, 413, 423, 481, 593, 603, 611
- Potato cull piles, 165
- Potato leafhopper, 525
- Potatoes
 - New varieties
 - BelRus, 111, 115
 - Highlat Russet, 177, 179
 - Lemhi Russet, 619
 - Rosa, 451, 453
 - Yukon Gold, 241
 - Old varieties
 - Ackersegen, 63, 157
 - Alamo, 313, 318-20
 - Alaska Frostless, 20
 - Alma, 307

- Anoka, 139-40
Anson, 526
Aquila, 202
Atlantic, 124, 511
Avon, 317, 320
Bake King, 313, 319-21
Batoche, 195-7, 495
Belleisle, 108, 195-7
Bintje, 157, 583
Bison, 366
Blanka, 492-3
Blue Mac, 526
Cajica, 452
Canoga, 313
Catoosa, 317, 320
Casablanca, 452
Centennial, 318-9, 524
Cherokee, 312, 314-5, 317-8, 452, 495
Chinook, 317
Chippewa, 307, 509
Dalco, 63
Dazoc, 155-8
Delus, 317-8
Desiree, 489, 492-3
Earlaine, 307, 317, 323
Early Gem, 309, 317-8, 620
Erdgold, 202
Exodus, 492
Fundy, 108, 316-8, 495
Green Mountain, 188, 317, 319-20, 385, 387, 390
Houma, 242
Hudson, 318-9
Hunter, 139-40
Irish Cobbler, 135, 138-40, 142, 155-60, 258, 575
Jackson, 322
Jemseg, 195-7
Jicucco, 452
Jirucco, 452
Katahdin, 65, 109, 119-20, 241-2, 259, 307, 317, 347, 351, 375-9, 452-4, 498, 507, 511, 520, 636, 639-40, 642, 644
Kennebec, 24, 108-9, 117, 119-20, 135, 138, 140, 142, 195-8, 243, 259, 305-8, 312-5, 317-8, 320, 323, 358, 360, 361-3, 375-9, 385, 387, 389-91, 407-8, 410-3, 454, 495, 498, 507, 511, 514-5, 518, 520, 522, 633, 636-7, 639-40, 642, 644, 647
Keswick, 317-8, 320
King Edward, 65-6
LaChipper, 117, 119-20, 122, 320, 520
LaRouge, 139-40
Lemhi Russet, 511
Libertas, 63
Majestic, 65-6
Margarita, 452
Maris Peer, 65

- Menominee, 317, 620
Merrimack, 317, 319-20, 509
Mirka, 489, 492-3
Milton Pearl, 526
Mohawk, 317, 320
Monona, 117, 119-20, 140, 454, 499, 512, 518, 633, 637, 641, 644, 647
Nampa, 179
Nephrit, 307
Nooksack, 318-9
Norchip, 24, 35, 117, 119-20, 139-40, 155, 157, 159-60, 454, 511, 522, 596, 633, 637, 641, 647
Norgleam, 241-2
Norgold Russet, 115, 117, 119-20, 122, 139, 140, 155, 157, 159-60, 319, 366, 512, 520, 587, 620, 622
Norland, 24, 117, 119-20, 139-40, 147, 279, 282, 407-8, 410-3
Onaway, 317, 320
Oneida, 120, 366
Ontario, 117, 119-20, 375-9
Oromonte, 321-4
Patrones, 492
Penn Chip, 313
Penobscot, 113
Pentland Crown, 65
Pink Pearl, 526
Pioneer, 620
Plymouth, 313, 317-8, 320
Polanin, 307
Pontiac, 155-8, 317, 395
Quincha, 452
Red LaSoda, 119, 121, 139-40, 630-2
Red Norland, 146-7
Red Pontiac, 24, 104, 106, 108, 135, 139-40, 142, 146-7, 385, 387, 390, 495
Renacimiento, 452
Richter's Jubel, 317, 376
Rushmore, 320
Russet Burbank, 66, 86, 104, 106, 108-9, 111, 115, 119, 121, 139-40, 142, 179-80, 182, 228-9, 241, 243, 248, 292, 312, 314-5, 317, 327-8, 358, 361, 363, 375-9, 385, 387, 390, 424, 426, 498, 501, 511, 514, 520, 524, 604, 611-4, 622
Sable, 195-7
Saco, 317-8, 385, 387, 390
Sebago, 108, 140, 155-60, 242, 415-7, 523
Snowflake, 318-9
Spunta, 489, 493
Superior, 35, 109, 117, 119, 121, 135, 139-40, 317, 375, 377-9
Surprise, 63
Targhee, 318-9
Tobique, 108, 195-7
Tocana Colorado, 452
Triumph, 317
Up-to-Date, 489, 492-3
Vacapapa, 452
Wauseon, 451, 454

- White Rose, 305, 321-4, 362, 496
Wisconsin Pride, 322
Yana imilla, 452
Numbered seedlings
39-1, 178
44-17, 452
56N18-4, 319
96-56, 305, 312, 314-5, 317-8, 320-3
127-32, 366
128-12, 366
148-17, 366
1376-6, 452
1464-26, 317
1520-4, 178
2201(30), 452
3895-13, 307
5797-1, 195
5797-2, 195-7
5797-5, 195
5797-9, 195-7
5797-11, 195
5805-14, 195
5875-14, 195-7
6046-8, 195
6051-2, 195
8573, 366
24642, 317
40568, 317
41956, 309, 317, 452
44537, 317, 376
A36-1, 620
A179-3, 620
A180-24, 620
A463-4, 319
A501-13, 319
A589-65, 620
A63126-8, 620
A68678-1, 620
B127, 307, 317
B595-76, 452
B922-6, 178
B2756-2, 620
B2963-7, 620
B3944-11, 178
B4523-8, 178
B5149-8, 452
B7196-25, 178
B7680-6, 178
CPC1673, 452
F509-4, 451-2
F517-1, 451-2
GS9-1, 317

H358-57, 452
H484-58, 452
I8168-28, 202
ISO-1, 178
J171-8, 452
LLB-9, 178
Minn. 17-2, 242
Minn. 92.36-5, 242
ND221-6, 202
ND457-1, 242
ND3435-17, 202
NIF-1, 319
NY61, 507
OND-5, 178
PI2108332, 202
W39-1, 202
W245-2, 178
W5279-4, 241, 242
W5295.7, 512, 513
W5337.3, 512
X247-24, 620
X528-170, 317

Solanums

New

antachochense, 127
correllii, 223
irosinum, 131
sawyeri, 649

Old

acaule, 18-22, 24, 32, 527
ambosinum, 82
andigena, 35, 36, 451, 469, 471, 496, 497, 527
berthaultii, 81, 306
bolviense, 24
brachistotrichum, 24
brevidens, 82, 505
bukasovii, 129
cardiophyllum, 24, 505
chacoense, 32, 308, 505, 509, 516
chomatophilum, 24
commersonii, 9, 21, 24, 307, 323, 505-6
curtilobum, 517
demissum, 305-9, 311, 317-8, 321, 323, 527
edinense, 307, 323
etuberosum, 522
fendleri, 24
fernandezianum, 505
flavoviridens, 81
gourlayi, 499
infundibuliforme, 509
jamesii, 24, 82
juglandifolium, 82

- juzepczukii*, 517
- kurtzianum*, 24
- lesteri*, 82
- lignicaule*, 81
- maglia*, 307, 323
- megistacrolobum*, 24
- microdontum*, 24, 82, 527
- mochicense*, 82
- multidissectum*, 24
- multiinterruptum*, 82
- ochranthum*, 82
- oplocense*, 24, 499
- orophilum*, 82
- paucijugum*, 82
- pennellii*, 81
- phureja*, 241-2, 516, 523
- pinnatoscetum*, 24
- polyadenium*, 81
- polytrichon*, 24
- sanctae-rosae*, 24
- sparsipilum*, 501, 516
- stenotomum*, 24, 94
- stoloniferum*, 24, 527
- sucrense*, 24
- tarijense*, 81, 82
- trifidum*, 24
- tuberosum*, 15, 16, 18-9, 21, 22, 35, 83, 94, 136, 143, 153, 182, 227-8, 257, 300, 305, 307, 311, 314, 318, 321-3, 347, 366, 385, 451, 470, 497, 525, 575, 583, 627, 633
- venturii*, 24
- vernei*, 24
- verrucosum*, 24
- wittmackii*, 81

- Predicting dry matter content, 500
- Processing quality, 71, 241
- Quality control, 509
- Radial diffusion, 501
- Reconditioning, 636
- Recontamination, 117, 121, 174, 585, 591, 597
- Recurrent selection, 469
- Research priorities, 3
- Residues, 143, 146-50
 - effect of heat, 150
- Respiration, 245, 249-54
- Restorer gene, 514
- R₁ gene, 305-6, 308-9, 317-8, 321, 323, 454
- RuBPCase, 21
- Russet skin, 111, 177, 500, 515
- SDS-agar diffusion, 183, 502
- Seed certification, 489
- Shallow scab, 385-6
- Slip sheets, 393, 400-1
- Soft rot bacteria, 165

- Soil inoculants, 511, 514
- Solanidine, 305, 307, 311-2, 315
- Solanine, 305, 310
- α -solanine, 417, 498
- Solasodine, 306
- Specific gravity, 180, 195, 236, 243, 453, 503, 513
- Split applications of fertilizer, 512, 517
- Sprinkler irrigation, 496, 515
- Sprout inhibitors
 - CIPC, 511
 - Maleic hydrazide, 227, 229, 234-6, 611, 624
 - ME-147, 499
 - Mertect 340F, 499
 - PCNB, 227, 229, 231, 233, 235
- Starch, 617
- Starch content, 71
- Stem lesions, 231
- Stewart's medium, 587
- Storability, 245
- Storage, 504
 - losses, 499
 - temperature, 633
- Stress physiology, 1, 3
- Stress-temperature, 3, 31
- Stress-water, 3, 51, 52
- Suberization, 522
- Sucrose content, 511, 633
- Sugars, 71, 73, 78, 245, 251, 253-4, 622, 633
- Teratogenic effects, 464-7
- Tertiary treatment, 504
- Tetraploid-diploid, 191
- Texture, 71, 77, 79, 379
- TGA, 309-10, 314, 407-8, 410-1, 622
- Tissue culture, 506, 508
- Tomatidenol, 305-7, 310-2, 315, 319, 323
- Tomatidine, 323
- Tomatine, 305, 310, 323
- Top killing, 103
- Total solids, 375, 377-8
- TTC test, 26
- Tuber, 177, 474, 575, 633
 - discoloration, 103
 - greening, 299
 - shape, 71, 73
- Tuberization, 31, 43-4, 472, 496, 507
- Tubers per hill, 99, 100
- 24-chromosome potatoes, 299
- 2n FDR, 374
- 2n gametes, 365, 507, 509, 516
- Ultra-structure, 575
- Ultraviolet absorption spectrum, 184, 295
- Unitization, 277, 284, 393

UV-B irradiation, 502

Vectors, 585

Verticillium wilt, 111, 136, 142, 492, 501

Viability test, 15

Vine pulling, 103

Virus vectors, 495

Vitamin C, 622

Volcanic activity, 521

Volunteers, 603

Weed killers

Eptam, 229

2,4-D, 143, 146, 148

2,4-DCP, 143, 146, 149

Wireworms, 423

Yellow flesh, 241

Yield components, 191

Yields, 59, 62, 93, 124, 195, 227, 232-5, 365, 368-9, 451, 453, 473, 496, 511-2, 514, 520, 619, 627